

Module 7

Section A: Planning Distribution

Term
Backhauling

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term
Barcode

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term
Batch picking

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term
Break-bulk

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term
Center-of-gravity approach

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term
Common carrier

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term
Consolidation

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term
Contract carrier

APICS CPIM Learning System

© 2025

A series of alternating bars and spaces printed or stamped on parts, containers, labels, or other media, representing encoded information that can be read by electronic readers. [This] is used to facilitate timely and accurate input of data to a computer system.

The process of a transportation vehicle returning from the original destination point to the point of origin. The 1980 Motor Carrier Act deregulated interstate commercial trucking and thereby allowed carriers to contract for the return trip. [This] can be with a full, partial, or empty load. [If empty, this] is called deadheading. See: deadhead.

1) Dividing truckloads, railcars, or containers of homogeneous items into smaller, more appropriate quantities for use. 2) A distribution center that specializes in [these types of] activities. 3) Unitized cargo in bales, boxes, or crates that is placed directly in a ship's holds rather than in containers.

A method of picking orders in which order requirements are aggregated by product across orders to reduce movement to and from product locations. The aggregated quantities of each product are then transported to a common area where the individual orders are constructed. See: discrete order picking, order picking, zone picking.

Transportation available to the public that does not provide special treatment to any one party and is regulated as to the rates charged, the liability assumed, and the service provided. [It] must obtain a certificate of public convenience and necessity from the Federal Trade Commission for interstate traffic. Ant: private carrier.

A methodology for locating distribution centers at approximately the location representing the minimum transportation costs between the plants, the distribution centers, and the markets, in order to maximize revenue.

A carrier that does not serve the general public, but provides transportation for hire for one or a limited number of shippers under a specific contract.

The grouping of shipments to obtain reduced costs or improved utilization of the transportation function. Consolidation can occur by market area grouping, grouping according to scheduled deliveries, or using third-party pooling services such as public warehouses and freight forwarders. Syn.: freight consolidation. See: milk run.

Module 7
Section A: Planning Distribution

Term
Demurrage

APICS CPIM Learning System © 2025

Module 7
Section A: Planning Distribution

Term
Discrete order picking

APICS CPIM Learning System © 2025

Module 7
Section A: Planning Distribution

Term
Distribution

APICS CPIM Learning System © 2025

Module 7
Section A: Planning Distribution

Term
Distribution center

APICS CPIM Learning System © 2025

Module 7
Section A: Planning Distribution

Term
Distribution network structure

APICS CPIM Learning System © 2025

Module 7
Section A: Planning Distribution

Term
Distribution planning

APICS CPIM Learning System © 2025

Module 7
Section A: Planning Distribution

Term
Distribution requirements planning (DRP)

APICS CPIM Learning System © 2025

Module 7
Section A: Planning Distribution

Term
Distribution warehouse

APICS CPIM Learning System © 2025

A method of picking orders in which the items on one order are picked before the next order is picked. See: batch picking, order picking, zone picking.

The carrier charges and fees applied when rail freight cars and ships are retained beyond a specified loading or unloading time. See: detention, express.

A location used to store inventory. Decisions driving warehouse management include site selection, number of facilities in the system, layout, and methods of receiving, storing, and retrieving goods.

1) The activities associated with the movement of material, usually finished goods or service parts, from the manufacturer to the customer. These activities encompass the functions of transportation, warehousing, inventory control, material handling, order administration, site and location analysis, industrial packaging, data processing, and the communications network necessary for effective management. [...] In many cases, this movement is made through one or more levels of field warehouses. Syn.: physical distribution. 2) The systematic division of a whole into discrete parts having distinctive characteristics.

The planning activities associated with transportation, warehousing, inventory levels, materials handling, order administration, site and location planning, industrial packaging, data processing, and communications networks to support distribution.

The planned channels of inventory disbursement from one or more sources to field warehouses and ultimately to the customer. There may be one or more levels in the disbursement system. Syn.: bill of distribution.

A facility where goods are received in large-volume uniform lots, stored briefly, and then broken down into smaller orders of different items required by the customer. Emphasis is on expeditious movement and handling.

1) The function of determining the need to replenish inventory at branch warehouses. A time-phased order point approach is used where the planned orders at the branch warehouse level are "exploded" via MRP logic to become gross requirements of the supplying source. In the case of multilevel distribution networks, this explosion process can continue down through the various levels of regional warehouses (master warehouse, factory warehouse, etc.) and become input to the master production schedule. Demand on the supplying sources is recognized as dependent, and standard MRP logic applies. 2) More generally, replenishment inventory calculations, which may be based on other planning approaches such as period order quantities or "replace exactly what was used," rather than being limited to the time-phased order point approach.

Module 7

Section A: Planning Distribution

Term

Dock-to-stock

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term

Fixed-location storage

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term

Intermodal transport

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term

Line haul costs

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term

Materials handling

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term

Order picking

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term

Pallet positions

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term

Picking list

APICS CPIM Learning System

© 2025

A method of storage in which a relatively permanent location is assigned for the storage of each item in a storeroom or warehouse. Although more space is needed to store parts than in a random-location storage system, fixed locations become familiar, and therefore a locator file may not be needed. See: random-location storage.

A program through which specific quality and packaging requirements are met before the product is released. Prequalified product is shipped directly into the customer's inventory. [This] eliminates the costly handling of components, specifically in receiving and inspection, and enables product to move directly into production. Sometimes referred to as ship-to-stock.

Basic costs of carrier operation to move a container of freight, including drivers' wages and usage depreciation. These vary with the cost per mile, the distance shipped, and the weight moved.

1) Shipments moved by different types of equipment combining the best features of each mode. 2) The use of two or more different carrier modes in the through movement of a shipment.

Selecting or "picking" the required quantity of specific products for movement to a packaging area (usually in response to one or more shipping orders) and documenting that the material was moved from one location to shipping. Syn.: order selection. See: batch picking, discrete order picking, zone picking.

Movement and storage of goods inside the distribution center. This represents a capital cost and is balanced against the operating costs of the facility.

A document that lists the material to be picked for manufacturing or shipping orders. Syn.: disbursement list, material list, stores issue order, stores requisition.

A calculation that determines the space needed for the number of pallets for inventory storage or transportation based on a standard pallet size. Pallet dimensions vary around the globe, but are typically a constant in regional markets. The term is frequently used to quote storage and transportation rates.

Module 7

Section A: Planning Distribution

Term

Pickup and delivery costs

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term

Private carrier

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term

Private warehouse

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term

Public warehouse

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term

Radio frequency identification (RFID)

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term

Random-location storage

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term

Receiving

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term

Tapering rate

APICS CPIM Learning System

© 2025

A group that provides transportation exclusively within an organization. Ant: common carrier.

Carrier charges for each shipment pickup and the weight of that shipment. Costs can be reduced if several smaller shipments are consolidated and picked up in one trip.

The warehouse space that is rented or leased by an independent business providing a variety of services for a fee or on a contract basis. These services can include product inspection, product rating, and repackaging. These facilities are typically located near primary roads, railways, or inland waterways to facilitate rapid receiving and shipping of products. Syn.: duty paid warehouse.

A company-owned warehouse.

A storage technique in which parts are placed in any space that is empty when they arrive at the storeroom. Although this random method requires the use of a locator file to identify part locations, it often requires less storage space than a fixed-location storage method. Syn.: floating inventory location system, floating storage location. See: fixed-location storage.

A system using electronic tags to store data about items. Accessing or retrieving this data is accomplished through a specific radio frequency and does not require close proximity or line-of-sight access. See: active tag, passive tag, semi-passive tag.

A rate structure in which a shipping rate increases as the distance shipped increases, but the increases are not directly correlated to the increase in the distance shipped.

The function encompassing the physical receipt of material, the inspection of the shipment for conformance with the purchase order (quantity and damage), the identification and delivery to destination, and the preparation of receiving reports.

Module 7
Section A: Planning Distribution

Term
Terminal-handling charges

APICS CPIM Learning System © 2025

Module 7
Section A: Planning Distribution

Term
Terminals

APICS CPIM Learning System © 2025

Module 7
Section A: Planning Distribution

Term
Total line-haul cost

APICS CPIM Learning System © 2025

Module 7
Section A: Planning Distribution

Term
Transportation

APICS CPIM Learning System © 2025

Module 7
Section A: Planning Distribution

Term
Transportation management

APICS CPIM Learning System © 2025

Module 7
Section A: Planning Distribution

Term
Truckload (TL) carriers

APICS CPIM Learning System © 2025

Module 7
Section A: Planning Distribution

Term
Unit load

APICS CPIM Learning System © 2025

Module 7
Section A: Planning Distribution

Term
Unitization

APICS CPIM Learning System © 2025

In transportation, locations where carriers load and unload goods to and from vehicles. Also used to make connections between local pickup and delivery service and line-haul service. Functions performed in [these] include weighing connections with other routes and carriers, vehicle routing, dispatching, maintenance, paperwork, and administration. [They] may be owned and operated by the carrier or the public.

1) Carrier charges dependent on the number of times a shipment must be loaded, handled, and unloaded. Cost can be reduced by consolidating shipments into fewer parcels or by shipping in truckload quantities. 2) For shipping lines, the costs of paying container terminals for unloading and loading during shipment. These costs are borne by the shipping lines at the port of shipment or destination.

The function of planning, scheduling, and controlling activities related to mode, vendor, and movement of inventories into and out of an organization.

Basic costs of carrier operation to move a container of freight, including drivers' wages and usage depreciation, which vary with the distance shipped and the cost per mile.

Carriers that deliver/charge only for full truckload shipments.

The process of executing requirements for the planning, scheduling, and budgeting of transportation assets, services, and related systems of the shipping process through delivery.

In warehousing, the consolidation of several units into larger units for fewer handlings.

A shipping unit made up of a number of items; bulky material arranged or constrained so the mass can be picked up or moved as a single unit. Reduces material handling costs. Often shrink-packed on a pallet before shipment.

Module 7

Section A: Planning Distribution

Term
Warehousing

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term
Wave picking

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term
Zone

APICS CPIM Learning System

© 2025

Module 7

Section A: Planning Distribution

Term
Zone picking

APICS CPIM Learning System

© 2025

A method of selecting and sequencing picking lists or items to minimize the waiting time of the delivered material. Shipping orders may be picked in waves combined by common carrier or destination, and manufacturing orders in waves related to work centers.

The activities related to receiving, storing, and shipping materials to and from production or distribution locations.

A method of subdividing a picking list by areas within a storeroom for more efficient and rapid order picking. [This kind of order] must be grouped to a single location before delivery or must be delivered to different locations such as work centers. See: batch picking, discrete order picking, order picking.

1) A warehouse location methodology that includes some of the characteristics of fixed and random location methods. [These] locations hold certain kinds of items, depending on physical characteristics or frequency of use. 2) The specific warehouse location assigned to an order picker. In picking items for an order, the stock picker gets only the items for each order that are within [the specific one of these that he/she is assigned to.] The picker then fills the next order for items from [the same one of these.]